## **AWTA PRODUCT TESTING**

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400 Fax (03) 9371 2499

## **TEST REPORT**

Client: Nolan UDA Pty Ltd

3 Bradford Street Alexandria NSW 2015 **Test Number** : 16-000231

**Issue Date** 

Print Date : 28/01/2016

28/01/2016

Sample Description Clients Ref : "Resonance Grain"

Loop pile tufted carpet plank

Colour: Brown tones

Nominal Composition: 100% Nylon pile

Nominal Mass per Unit Area/Density: 720g/m2 Nominal Thickness: Approx Pile Thickness: 2mm

AS/ISO 9239.1-2003

## Reaction to Fire Tests for Floorings. Determination of the Burning Behaviour using a Radiant Heat Source

Date of Sample Arrival	21/01/2016			
Date Tested	27/01/2016			
CHF Value	1	2	3	Mean
Length	5.7	6.3	5.3	5.8 kW/m²
Width	6.7	-	-	- kW/m²
Smoke Value	1	2	3	Mean
Length	339	215	385	313 %.min
Width	217	-	-	- %.min

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test, they are not intended to be sole criterion for assessing the potential fire hazard of the product in use.

Sample was conditioned in accordance with BSEN 13238:2001 at a temperature of 23±2°C and relative humidity of 50±5% for a minimum of 48 hours prior to testing.

Each specimen was adhered to a substrate of 6mm thick fibre reinforced cement board using Roberts 656 adhesive and clamped prior to testing.

46965 9755 Page 1 of 1

Australian Wool testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025
- Chemical Testing
- Mechanical Testing
- Performance & Approvals Testing

: Accreditation No. : Accreditation No. : Accreditation No.

983 985 1356 AWTA LIMITED

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by

APPROVED SIGNATORY

IICHAEL A. JACKSON B.Sc.(Hons)