



proud partners with

TOLI

# CARPET TILE

COLLECTION 2022



# COMPANY PROFILE

## PROFILE

### NOLAN CARPETS – ABOUT THE TOLI PARTNERSHIP

In 1919, TOLI Corporation was established in Itami, Japan. Over a century later the company has grown to be one of the largest floor covering manufacturers in the world. The TOLI product range is exported all over the globe and has a proven history of success. Independent reports position TOLI in the top five carpet tile manufacturers worldwide.

The TOLI design team have taken innovation to new heights. Their unique designs and concepts have resulted in six 'Good Design' awards over the past decade. TOLI was the first to market with a 'plank' shaped carpet tile in 2006.

Design and innovation are important, but performance is paramount. Like all Japanese manufacturers, TOLI prides itself on using 'cutting edge' technology to produce high quality products. They have five 'state of the art' manufacturing facilities, each playing an integral role in producing their comprehensive product range. Each range is put through rigorous testing and is supported with a 15-year performance warranty.

Nolan Carpets are proud to be the exclusive Australian partner of TOLI Corporation. Our partnership is based on common values including longevity, quality and innovation.



# ENVIRONMENTAL STATEMENT



The Nolan Carpets Tile Collection has been developed with a sense of social responsibility and commitment to the environment. From the manufacturing process through to post-life stewardship, consideration has been given to the direct impact on the environment.



Nolan Carpet tiles meet some of the most stringent requirements worldwide, however the hard work does not stop there. Our manufacturing partner, TOLI, is committed to formal environmental management plans with a long term commitment to sustainability.

Green Label certification is part of the Carpet and Rugs Institute (CRI) in the United States. The CRI mission is to educate consumers, commercial stakeholders, and the industry in general about carpet and rugs in the context of environmental awareness. Green Label is an internationally recognised environmental certification scheme which has been in place for over two decades. Green Label 'Plus' is the highest level available under this scheme. The Nolan Carpet Tile Collection is Green Label Plus certified.



The Environmental Certification Scheme (ECS) is an environmental labelling scheme for floor coverings in Australia. It is an extension of the internationally recognised Australian Carpet Classification Scheme (ACCS). Certified products must comply with a range of performance criteria to have a current ACCS grading. The Nolan Carpet Tile Collection has Level 4 ECS certification which is the highest available under this scheme. This is primarily driven by our product stewardship program which is outlined below.




The Nolan Carpets product stewardship program is a three-way partnership with TOLI Corporation and the respected Japanese recycling organisation, Taibo. ([www.taibo.co.jp](http://www.taibo.co.jp)) The collaboration allows for used carpet tiles to be recycled and the raw content used in future carpet tile production.

1. Used TOLI carpet tiles can be up lifted and returned to any of the 6 Nolan Carpets locations throughout Australia. They must be returned in a neat and tidy fashion and at the installer's expense. Upon arrival, the carpet tiles will be packaged with other returned tiles and shipped to the bulk Nolan distribution centre in Melbourne. A shipping container dedicated to this program is then loaded with returned tiles.
2. Once the container is completely full, it will be shipped to the Taibo recycling facility in Gifu Japan
3. Taibo step into the equation from here using their state-of-the-art recycling facility. Firstly, they separate the PVC backing and Nylon yarn. From there the 2 components go through a number of conversion processes.
  - All the separated PVC backing is converted to PVC pellets so it can be used in the backing of new carpet tiles.
  - The stripped nylon fibres from the carpet pile will be delivered to another recycling manufacturing line, converted into RPF (refuse paper and plastic fuel) and used for paper manufacturing.
4. The final step in the process is that TOLI take delivery of the recycled PVC pellets and use them in the manufacture of new carpet tiles. This completes the closed loop product stewardship program, ensuring minimal impact to the environment.

The Nolan Carpets Product Stewardship program is available for any commercial TOLI carpet tile project. Nolan Carpets and TOLI Corporation will continue to focus and commit to improving our processes and materials for long term sustainability, securing a better future for generations to come.

# CARPET TILE index



05

SILKY LINE



06

KACHI



07

BARK



08

DUST CONTROL



13

GRAND FLOW



14

WITH TIME



15

WAFFLE KNIT



16

HAZE PEAK



24

GRANDCOUR




25

LUCEART



26

SOKOITARI




27

SOKOITARI CLASSIC




33

KATTO



35

ALTGLAN



36

MAYORICA



37

CEMBALO




42

PRARIE




43

SAZANAMI



44

MODERNO




45

VARIOUS STONE




50

LATTICLOTH



51

OCASH




52

MTE 3350




53

MTE 3800



58

DIFFEBRILLER



59

CORENTE



60

SRONE



61

ROCK GARDEN



09

SHADOW BLOCK



10

SHADOW BLOCK PLANK



11

YUTAKA PLANK



12

SOFT BACK PLUS



17

GA100



19

LINK SPACE



21

LAKE



23

GEOSLANT



28

SOKOITARI GRANDAIR




29

SURIMI




31

ORVIE



32

ETRICO




38

MORTARCLAY




39

CALMGRAIN




40

RUSCELLO




41

NOCTURE



46

YUTAKA




47

BRIGHT PLAIN



48

SOFT GRID




49

GRACE LINE




54

MTE 2000




55

MOROCA LINE



56

PATCH CORK



57

RESONANCE GRAIN



62

VENICHE



63

EXCHROME



65

FABTEX



67

FABTEX TILE



FOG

GA1751W



SEAGULL

GA1752W



CINDER

GA1753W



SHADOW

GA1750W



SUNSHINE

GA1755W



AMBER

GA1756W



PEANUT

GA1757W



ESPRESSO

GA1758W



DARK CHOCOLATE

GA1759W



GRANNY SMITH

GA1760W



TURQUOISE

GA1761W



BLUE STEEL

GA1762W




MIDNIGHT BLUE

GA1763W



RAINFOREST

GA1764W



MERLOT

GA1765W

# SILKY LINE

## GA100W

Shown: Midnight Blue, Seagull, Shadow

### YARN

Yarn Dyed Nylon

### FINISH

Multi-Level Loop Pile

### PILE WEIGHT

590gsm (17.4oz)

### TILE DIMENSION

500mm x 500mm

### TOTAL THICKNESS

6.5mm

### PERFORMANCE



### INSTALLATION



Nolan carpets  
proud partners with





# KACHI


## GA100W

Named after the Japanese term for referencing 'value', KACHI is a beautifully curated range of nylon carpet tiles that offers superior value whilst not compromising on quality or performance.

Shown: Smokey Black, Random Ash



GA1652



GA1413



GA1412



GA1851



GA1852



GA1855

### YARN

Yarn Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

560-580gsm (16.5-17.1oz)

### TILE DIMENSION

500mm x 500mm

### TOTAL THICKNESS

6.5mm-6.8mm

### PERFORMANCE



### INSTALLATION





Shown: Oat



GA3681



GA3682



GA3683



GA3684



GA3685



GA3687



GA3688



GA3689



GA3690



GA3691



GA3692



GA3693



Shown: Mist, Koala

# BARK

## GA3600

YARN

Solution Dyed Nylon

FINISH

Textured Loop Pile

PILE WEIGHT

520gsm (15.3oz)

TILE DIMENSION

500mm x 500mm

TOTAL THICKNESS

6.8mm

### PERFORMANCE



### INSTALLATION



# DUST CONTROL


DC 1100



DC1101



DC1104



DC1106



DC1105

YARN

Solution Dyed

FINISH

Multi cut and loop

PILE WEIGHT

949gsm (28oz)

TILE DIMENSION

500mm x 500mm

TOTAL THICKNESS

10.0mm

## PERFORMANCE



## INSTALLATION



Shown: Earth



Shown: Earth



Shown: Titanium

# SHADOW BLOCK


## GA100W

<b>YARN</b>	Yarn Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	625gsm (18.4oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	7.0mm

### PERFORMANCE



### INSTALLATION





Shown: Carbon

# SHADOW BLOCK PLANK

GA100W

The subtle finish of the Shadow Block carpet tile range is the perfect option for when you want the grand surroundings to do the talking. Bring a simplistic, yet elegant dimension to your next design with the new plank shape.



TITANIUM  
GA1970



CARBON  
GA1953

## YARN

Yarn Dyed Nylon

## FINISH

Textured Loop Pile

## PILE WEIGHT

625gsm (18.4oz)

## TILE DIMENSION

1000mm x 250mm


## TOTAL THICKNESS

7.0mm

## PERFORMANCE



## INSTALLATION



Shown: Carbon



Shown: Accord, Accord Blue, Accord Orange

# YUTAKA PLANK

## Y U 5 2 0 0 V



Create a stylish look and achieve a linear balance with the Yutaka Plank Range. Accents of colour are flecked through a modern base of grey to achieve a strong design base with subtle colour inspiration.

<b>YARN</b>	Solution Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	470gsm (13.9oz)
<b>TILE DIMENSION</b>	1000mm x 250mm
<b>TOTAL THICKNESS</b>	6.8mm

### PERFORMANCE



### INSTALLATION



Shown: Shale, Shale Green


# SOFT BACK PLUS

S B P

Soft Back Plus is a cushion backing that can be applied to the underside of most ranges in the Nolan Carpet Tile Collection. The soft yet resilient backing is manufactured using 60% recycled content and provides 2 primary benefits.

The most obvious feature is underfoot comfort feel equal to a traditional commercial carpet installed with an underlay. It helps reduce the fatigue in environments where people are spending large amounts of each day on their feet.

The second and certainly not to be under estimated is the acoustic performance. It provides reduced reverberation within a room but more importantly the sound transfer reduction when used in multi-level buildings.





Shown: Name - GX6152



GX6151



GX6152



GX6153



GX6154

# GRAND FLOW

## G X 6 1 5 0

This dynamic, marble like pattern creates a spacious effect with a grand twist. The large 1000 x 1000mm tile brings the magnificent flowing image to life, creating movement across the space.

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

870gsm (25.7oz)

### TILE DIMENSION

1000mmx1000mm

### TOTAL THICKNESS

9.5mm


### PERFORMANCE



### INSTALLATION



**Nolan carpets**  
proud partners with **TOLI**



Shown: GX6154



Shown: GX3353


# WITH TIME

## G X 3 3 5 0

Convey a feeling of aged, natural beauty with the distressed look of With Time. This tile will add a strong textured look across the flooring using natural colours.




Shown: GX3354



GX3351



GX3352



GX3353



GX3354



Shown: GX3351, MT3361

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

900gsm (26.5oz)

### TILE DIMENSION

500mmx500mm

### TOTAL THICKNESS

9.5mm

### PERFORMANCE



### INSTALLATION





Shown: GX2652



# WAFFLE KNIT

## G X 2 6 5 0



GX2651



GX2652



GX2653



GX2654



GX2655

Create a casual and warm feeling with Waffle Knit. The high and low piles of this range will achieve a textures, knit fabric look for your space.

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

830gsm (24.5oz)

### TILE DIMENSION

500mm x 500mm


### TOTAL THICKNESS

9.8mm


### PERFORMANCE



### INSTALLATION



Shown: GX2653



GX3151




GX3152



GX3153



GX3154



GX3155

# HAZE PEAK

## G X 3 1 5 1

Haze Peak features a natural looking base with subtle, diagonal lines to achieve a modern look of shaded texture.

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

650gsm (19.2oz)

### TILE DIMENSION

500mm x 500mm


### TOTAL THICKNESS

8.0mm

### PERFORMANCE



### INSTALLATION



**Nolan carpets**  
proud partners with **TOLI**



Shown: GA190, GA196, GA1021, GA1025, GA1028

# GA100

## GA100

**YARN**

Yarn Dyed Nylon

**FINISH**

Level Loop Pile

**PILE WEIGHT**

600gsm (17.7oz)

**TILE DIMENSION**

500mm x 500mm


**TOTAL THICKNESS**

6.5mm

### PERFORMANCE



### INSTALLATION



GA1033



GA126



GA163



GA1046



GA165



GA125



GA136



GA108



GA164



GA1002



GA155



GA139



GA1006



GA1038




GA1026




GA194



GA1028



GA190



GA1025



GA1007



GA144



GA1040



GA1041



GA113



GA1042




GA159




GA149




GA1043




GA1044



GA1045




GA191



GA196



GA1021



GA193



GA1019

# LINK SPACE

## G X 9 9 5 0

Link Space comes in modern, natural tones to create a warm and inviting environment. Use a combination of graduating designs to shape and define spaces without physical features.






Shown: GX9961, GX9962, GX9963

<b>YARN</b>	Solution Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	645gsm (19oz)
<b>TILE DIMENSION</b>	1000mm x 250mm
<b>TOTAL THICKNESS</b>	8.0mm

#### PERFORMANCE



#### INSTALLATION



Shown: GX9981, GX9982, GX9983



GX9951



GX9952



GX9953



GX9961




GX9962



GX9963




GX9971




GX9972



GX9973



GX9981



GX9982



GX9983



Shown: GA3672, GA3676, GA3677

# LAKE

## GA3600

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

530gsm (15.6oz)

### TILE DIMENSION

500mm x 500mm

### TOTAL THICKNESS

6.8mm

### PERFORMANCE



STAIN  
RESISTANT



FLAME  
RETARDANT



ANTI-STATIC



EXTRA  
HEAVY DUTY



15  
WARRANTY



GREEN  
CHOICE



CR2  
PLUS

### INSTALLATION



**Nolan carpets**  
proud partners with **TOLI**



Shown: GA3645, GA3649



GA3641



GA3642



GA3643



GA3644



GA3645



GA3646



GA3647




GA3648



GA3649



GA3650



GA3671



GA3672



GA3673



GA3674



GA3675



GA3676



GA3677



GA3678



Shown: GA3671, GA3678



# GEOSLANT

## G X 4 1 0 0

Contemporary building design has seen a trend for old warehouse space converted into commercial working environments. In line with this theme, Geoslant was designed to replicate the irregular look of old painted concrete. This geometric design offers a striking finish.



GX4131

GX4132



GX4133

GX4134



### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

660gsm (19.5oz)

### TILE DIMENSION

500mm x 500mm

### TOTAL THICKNESS

8.5mm

### PERFORMANCE



### INSTALLATION



Shown: GX4134

Shown: GX4701, GX4702



# GRANDCOUR

## G X 4 7 0 0



GX4701



GX4702

YARN

Solution Dyed Nylon

FINISH

Textured Loop Pile

PILE WEIGHT

700gsm (20.6oz)

TILE DIMENSION

500mm x 500mm


TOTAL THICKNESS

8.5mm

### PERFORMANCE



### INSTALLATION



proud partners with



Shown: GX4701, GX4702



# LUCEART

## G X 8 5 0 0

With the pressures of modern culture, creating a calming environment is more important than ever. The Luceart carpet tile range creates a tranquil setting through the use of designs inspired by nature. These five distinct patterns have the ability to create an atmosphere reminiscent of lily covered lakes, earth and fields of grass.

Shown: GX8501




Shown: GX8502, GX8503, GX8504



GX8501



GX8502



GX8505



GX8503



GX8504

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

880gsm (26.0oz)

### TILE DIMENSION

500mm x 500mm

### TOTAL THICKNESS

9.3mm

### PERFORMANCE



### INSTALLATION



**Nolan carpets**  
proud partners with






Shown: All



GX7813



GX7814



GX7815



GX7816

# SOKOITARI

G X 7 8 0 0



YARN  
FINISH  
PILE WEIGHT  
TILE DIMENSION  
TOTAL THICKNESS

Solution Dyed Nylon  
Textured Loop Pile  
690gsm (20.3oz)  
500mm x 500mm  
7.5mm

## PERFORMANCE



## INSTALLATION



Shown: GX7815, GX7816


# SOKOITARI CLASSIC

## G X 7 9 0 0

The Japanese textile name Sokoitari dates back to the 18th century. The term was used to describe a quality clothing garment that featured meticulous attention to detail, with subtle but carefully executed design features. The Sokoitari carpet tile collection upholds these values with each range being carefully designed so the floor can be subtly separated by either colour or pattern variation. The original Sokoitari range was the pioneer in this style of flooring design and was awarded the prestigious 'Good Design Award' back in 2005. If elegance and design freedom is part of your criteria, look no further than the Sokoitari family of carpet tiles.



GX7902



GX7903



GX7904



GX7905



### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

800gsm (23.6oz)

### TILE DIMENSION

500mm x 500mm


### TOTAL THICKNESS

7.5mm

### PERFORMANCE



### INSTALLATION



# SOKOITARI GRANDAIR

G X 8 1 0 0



GX8111



GX8112



GX8113



GX8114



GX8115



GX8116



GX8117



GX8118




GX8119



GX8151



GX8152



GX8153



GX8154



GX8155



Shown: GX8117

Shown: GX8111, GX8115

## YARN

Yarn Dyed Nylon

## FINISH

Textured Loop Pile

## PILE WEIGHT

800gsm (23.6oz)

## TILE DIMENSION

500mm x 500mm


## TOTAL THICKNESS

9.5mm

## PERFORMANCE



## INSTALLATION



# SURIMI

## G X 3 0 0



GX3003



GX3006



GX3008



GX3010



GX3011



GX3012



GX3019



GX3026



GX3028



GX3031



GX3034



GX3035



GX3039



GX3043




GX3044



GX3045



GX3046



GX3048



GX3054



GX3059



GX3060






<b>YARN</b>	Yarn Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	710gsm (20.9oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	8.0mm

#### PERFORMANCE



#### INSTALLATION



Shown: GX3008, GX3019, GX3054

Shown: GX3028, GX3034



# ORVIE

## G X 8 3 0 0

They say all roads lead to Rome. Inspired by the European cobblestone streets, the Orvie carpet tile range is a unique pattern that embraces history. If your interior theme is the character of handmade designs, Orvie is the perfect statement for any commercial interior.



Shown: GX8301

### YARN

Solution Dyed Nylon

### FINISH

Cut and Loop Pile

### PILE WEIGHT

850gsm (25.1oz)

### TILE DIMENSION

500mm x 500mm


### TOTAL THICKNESS

9.0mm

### PERFORMANCE



### INSTALLATION



Shown: GX8302



GX8301



GX8302



Shown: GX8601

# ETRICO

## G X 8 6 0 0



Shown: GX8601




Shown: GX8602

YARN	Solution Dyed Nylon
FINISH	Textured Loop Pile
PILE WEIGHT	730gsm (21.5oz)
TILE DIMENSION	500mm x 500mm
TOTAL THICKNESS	8.5mm

### PERFORMANCE



### INSTALLATION



GX8601



GX8602




GX8603



GX8604



GX8605



Shown: GX8603, GX8604


# KATTO

## G X 2 0 0


Katto is the Japanese term for cut which is appropriate for this family of products. Katto is a plush cut pile carpet tile, available in a wide selection of colours. The range is also available in a variety of finishes that can be used to compliment, or as an alternative to the standard Katto collection. Katto Metal has a stainless steel shape set into the centre of the tile offering a classy finish for a strong statement. Katto Emboss starts as the standard product and has a pattern applied using heat embossing technology. The options for design freedom are endless and only limited by your imagination.




GX2051




GX2054



GX2055



GX2058



GX2059



GX2060



GX2063



GX2064




GX2065



GX2067



GX2068



GX2069



GX2072



GX2073



GX2080



GX2081



GX2082



GX2084



GX2086




GX2087



GX2088



GX2089



Shown: GX2063, GX2072






<b>YARN</b>	Yarn Dyed Nylon
<b>FINISH</b>	Cut Pile
<b>PILE WEIGHT</b>	1025gsm (30.2 oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	9.0mm

#### PERFORMANCE



#### INSTALLATION





Shown: GX3803, GX3802, GX3801, GX3804

With a resurgence of the retro look, velvet has made a comeback. Altglan is the ideal option if you're looking for a distinctive and revitalised commercial space. The velvet look gives character to the interior with all the benefits offered by a modern commercial carpet tile.




Shown: GX3801

# ALTGLAN



## G X 3 8 0 0

YARN	Yarn Dyed Nylon
FINISH	Textured Loop Pile: Tip Sheared
PILE WEIGHT	730gsm (21.5oz)
TILE DIMENSION	500mm x 500mm
TOTAL THICKNESS	8.5mm

### PERFORMANCE



### INSTALLATION




GX3801



GX3802




GX3803




GX3804



GX3805



GX3806



GX3807

# MAYORICA

## G X 2 1 0 0



Shown: GX2121

The concept of patchwork design provides a random and unique 'one-off' pattern. There are synergies with this style and modern companies where many departments and teams combine to reach business objectives.

Mayorica by TOLI was inspired to provide a flooring solution that can tell its own story in so many ways such as contemporary design and collaboration. The design is made up from 40 unique tiles to provide the total affect. The tiles are randomly packed offering uniqueness to each installation. Colour code GX2111 is a subtle yet classy greyscale design while the bold GX2121 can be used when a positive statement needs to be made in a vibrant environment.



GX2121

500mm


500mm

<b>YARN</b>	Solution Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	700gsm (20.6oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	7.5mm


### PERFORMANCE



### INSTALLATION



GX2111



Shown: All GX2111



# CEMBALO

## G X 2 3 0 0

Shown: GX2301, GX2303



GX2301



GX2302



GX2303



GX2304



GX2305

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

600gsm (17.7oz)

### TILE DIMENSION

500mm x 500mm


### TOTAL THICKNESS

7.5mm

### PERFORMANCE



### INSTALLATION



Shown: GX2303

# MORTARCLAY

## G X 3 7 0 0

Modern designers often believe that everything old, is new again. The Mortarclay carpet tile range was developed to embrace the aging process of concrete. Available in seven unique colours, Mortarclay compliments the hard surfaces often associated with a minimalistic design.

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

750gsm (22.1oz)

### TILE DIMENSION

500mm x 500mm

### TOTAL THICKNESS

8.5mm

### PERFORMANCE



### INSTALLATION



**Nolan Carpets**  
proud partners with **TOLI**



GX3701



GX3702



GX3705



GX3706



GX3707



GX3708



GX3709

Shown: GX3701, GX3702



# CALMGRAIN

## G X 5 1 0 0

It is traditional for Japanese gardens to be covered with pea gravel rocks. With the objective of bringing the outdoors inside, TOLI have developed Calmgrain which features a deep textured loop pile to replicate the traditional pea gravel look.



Shown: GX5102

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

610gsm (18.0oz)

### TILE DIMENSION

500mm x 500mm


### TOTAL THICKNESS

8.0mm


### PERFORMANCE




### INSTALLATION



GX5101



GX5102



GX5103



GX5104



GX5105



GX5107

Shown: GX5101



GX5251



GX5252



GX5254



GX5255



GX5256



Shown: GX5251, GX5252

# RUSCELLO

## G X 5 2 5 0

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

650gsm (19.2oz)

### TILE DIMENSION

500mm x 500mm

### TOTAL THICKNESS

7.3mm

### PERFORMANCE



### INSTALLATION



**Nolan carpets**  
proud partners with **TOLI**



Shown: GX5251, GX5252

# NOCTURE

## G X 8 4 0 0

Nocture was inspired by the ripple and shimmering effect of a sparkling pond. The finish is subtle and ideal for a sophisticated look in any commercial interior.

### YARN

Solution Dyed Nylon

### FINISH

Cut and Loop Pile

### PILE WEIGHT

1000gsm (29.5oz)


### TILE DIMENSION

500mm x 500mm



### TOTAL THICKNESS

8.5mm

### PERFORMANCE



### INSTALLATION



Shown: GX8402




Shown: GX8401, GX8402



GX8401



GX8402



GX8404



Shown: GX4211, GX4212

# PRARIE

## G X 4 2 0 0

The stress of the modern working environments can become overwhelming. To help calm the mood, designers are introducing elements of nature. Prarie offers a natural 'grass' look in a traditional commercial carpet tile. If you are looking to bring the outdoors inside, here is the perfect solution.



GX4211




GX4212

<b>YARN</b>	Solution Dyed Nylon
<b>FINISH</b>	Cut and Loop Pile
<b>PILE WEIGHT</b>	1000gsm (29.5oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	9.3mm

### PERFORMANCE



### INSTALLATION



Shown: GX4211

Shown: GX4211, GX4212





GA8701



GA8702



GA8703



GA8704



GA8705



GA8706



GA8707



GA8708

# SAZANAMI

## G A 8 7 0 0

Shown: GA8701

### YARN

Yarn Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

650gsm (19.2oz)

### TILE DIMENSION

500mm x 500mm


### TOTAL THICKNESS

7.0mm

### PERFORMANCE



### INSTALLATION






Shown: GX5622




Shown: GX5622

# MODERNO

## G X 5 6 0 0



GX5622



GX5623



GX5624



Shown: GX5624


**YARN**  
**FINISH**  
**PILE WEIGHT**  
**TILE DIMENSION**  
**TOTAL THICKNESS**

Solution Dyed Nylon  
Cut and Loop Pile  
1000gsm (29.5oz)  
500mm x 500mm  
9.0mm

### PERFORMANCE



### INSTALLATION




 **Nolan carpets**  
proud partners with 



Shown: GX4611

# VARIOUS STONE

## G X 4 6 0 0



GX4611



GX4612

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

870gsm (25.7oz)

### TILE DIMENSION

500mm x 500mm


### TOTAL THICKNESS

8.5mm

### PERFORMANCE



### INSTALLATION





**Nolan carpets**  
proud partners with **TOLI**



Shown: GX4611

# YUTAKA

## YU1300




<b>YARN</b>	Solution Dyed Nylon
<b>FINISH</b>	Level Loop Pile
<b>PILE WEIGHT</b>	500gsm (14.7oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	6.5mm

### PERFORMANCE



### INSTALLATION





Shown: GA10235T, GA10227T



Shown: GA10225T



Shown: GA10234T, GA10235T

# BRIGHT PLAIN



## GA100T

<b>YARN</b>	Yarn Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	590gsm (17.4oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	7.8mm

### PERFORMANCE



### INSTALLATION






Shown: GA10636T, GA10635T



Shown: GA10632T, GA10633T



Shown: GA10636T



GA10632T



GA10633T



GA10634T



GA10635T



GA10636T



# SOFT GRID


## GA100T


<b>YARN</b>	Yarn Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	580gsm (17.1oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	7.8mm

### PERFORMANCE



### INSTALLATION





# GRACE LINE

## G X 4 3 0 0



The aging process of porcelain offers a unique look inspired by its delicate finish. When incorporated in a commercial floorcovering, random lines step outside the space of traditional lineal patterns. Why follow a trend when Grace Line allows you to set them.

<b>YARN</b>	Solution Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	850gsm (25.1oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	9.3mm

### PERFORMANCE



### INSTALLATION



GX4311



GX4314



# LATTICLOTH

## G X 4 9 0 0

Shown: GX4901



GX4901



GX4902



GX4903



GX4904

### YARN

### FINISH

### PILE WEIGHT

### TILE DIMENSION

### TOTAL THICKNESS

Solution & Space Dyed Nylon

Textured loop Pile

660gsm (19.5oz)

500mm x 500mm

8.0mm

### PERFORMANCE



### INSTALLATION



Shown: GX4902, GX4901



Shown: GX2404



GX2401



GX2402



GX2403



GX2404

# OCASH

## G X 2 4 0 0

Add a classy, high-end feel to any room with Ocash.  
Textured, twisted yarns create a luxurious look and feel.

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

800gsm (23.6oz)

### TILE DIMENSION

500mm x 500mm

### TOTAL THICKNESS

7mm

### PERFORMANCE



### INSTALLATION



**Nolan carpets**  
proud partners with **TOLI**



Shown: GX2401



Shown: MT3361F


# MTE 3350



MT3361F



MT3362F



MT3371F



MT3372F

**YARN**  
**FINISH**  
**PILE WEIGHT**  
**TILE DIMENSION**  
**TOTAL THICKNESS**

Solution Dyed Nylon  
Embossed Textured Loop Pile  
900gsm (26.5oz)  
500mm x 500mm  
9.5mm

## PERFORMANCE



STAIN  
RESISTANT



FLAME  
RETARDANT



ANTI-STATIC



EXTRA  
HEAVY DUTY



15  
WARRANTY



GREENGUARD  
GOLD



CRP  
PLUS

## INSTALLATION



Shown: MT3372F



The MTE 3800 range is inspired by nature to create a calming environment.

# MTE 3800

## YARN

Yarn Dyed Nylon

## FINISH

Embossed Textured Loop Pile & Tip Shear

## PILE WEIGHT

730gsm (21.0oz)

## TILE DIMENSION

500mm x 500mm

## TOTAL THICKNESS

8.5mm

## PERFORMANCE



## INSTALLATION





Shown: MT2705F

The MTE range is one of TOLI's best examples for showcasing their ability to offer unique, innovative and creative designs.

MTE 2000 uses heat embossing technology to produce a 3 dimensional finish.

# MTE 2000

<b>YARN</b>	Yarn Dyed Nylon
<b>FINISH</b>	Embossed Cut Pile
<b>PILE WEIGHT</b>	1025gsm (30.2oz)
<b>TILE DIMENSION</b>	500mm x 500mm
<b>TOTAL THICKNESS</b>	9.0mm

## PERFORMANCE



## INSTALLATION





Shown: GX4551



GX4551



GX4552

# MOROCA LINE

## G X 4 5 5 0

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

870gsm (25.7oz)

### TILE DIMENSION

1000mm x 250mm



### TOTAL THICKNESS

9.3mm

### PERFORMANCE



### INSTALLATION



proud partners with



Shown: All



Shown: GX4653

# PATCH CORK

## G X 6 4 5 0



GX4651



GX4652



GX4653



### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

870gsm (25.7oz)

### TILE DIMENSION

1000mm x 250mm



### TOTAL THICKNESS

9.3mm

### PERFORMANCE



### INSTALLATION



# RESONANCE GRAIN

## G X 9 7 0 0

There is nothing quite like the look of natural timber flooring. If only it was functional and more suited to commercial interiors. The solution is Resonance Grain carpet tile planks that replicate the natural grain of timber and provides a soft and quiet finish. Why compromise when you can have the best of both worlds?

Shown: GX9701

### YARN

### FINISH

### PILE WEIGHT

### TILE DIMENSION

### TOTAL THICKNESS

Solution Dyed Nylon

Textured Loop Pile

720gsm (21.2oz)



1000mm x 250mm

7.5mm

### PERFORMANCE



### INSTALLATION



**Nolan carpets**  
proud partners with **TOLI**

Shown: GX9702

Shown: GX9701



GX9651



GX9653



GX9655



GX9652



GX9654V

# DIFFEBRILLER

## G X 9 6 5 0

The effect of direct sunlight reflecting off water can be mesmerising. Diffebriller replicates this appearance in a multi-level textured finish, offering a subtle and classic appearance.

### YARN

Yarn Dyed Nylon

### FINISH

Textured Loop Pile & Tip Shear

### PILE WEIGHT

700gsm (20.6oz)

### TILE DIMENSION

1000mm x 250mm


### TOTAL THICKNESS

8.0mm

### PERFORMANCE



### INSTALLATION





GX9301



GX9303



GX9306



GX9307



GX9308



GX9311

Shown: GX9301, GX9308

# CORENTE

## G X 9 3 0 0



### YARN

Solution Dyed Nylon

### FINISH

Level Loop Pile

### PILE WEIGHT

680gsm (20.1oz)

### TILE DIMENSION

1000mm x 250mm



### TOTAL THICKNESS

6.5mm

### PERFORMANCE



### INSTALLATION



Shown: GX9303

Shown: GX9308, GX9301



Shown: GX9051, GX9052, GX9053

Over many centuries, the use of stone and its unique random pattern has played a prominent part in construction, however despite its history, it is still considered a modern finish. Whilst hard polished surfaces are stylish, they are not practical in terms of acoustics and general comfort. The Srone carpet tile range provides a solution without compromise. Soft and functional flooring in a dynamic, stone-like pattern.

# SRONE


## G X 9 0 5 0

<b>YARN</b>	Solution Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	640gsm (18.9oz)
<b>TILE DIMENSION</b>	1000mm x 250mm
<b>TOTAL THICKNESS</b>	8.0mm

### PERFORMANCE



### INSTALLATION



GX9053




GX9052



GX9051



GX9055



GX9056



# ROCK GARDEN

## G X 9 2 5 0

Shown: GX9252


Inspired by the European cobblestone streets, Rock Garden is the perfect example of creating a theme through the floorcovering. The finish replicates the textured finish of natural stone perfectly but still provides all the benefits offered with a commercial carpet tile.

<b>YARN</b>	Solution Dyed Nylon
<b>FINISH</b>	Textured Loop Pile
<b>PILE WEIGHT</b>	680gsm (20.1oz)
<b>TILE DIMENSION</b>	1000mm x 250mm
<b>TOTAL THICKNESS</b>	9.3mm

### PERFORMANCE



### INSTALLATION



GX9251



GX9252



GX9253

Shown: GX9253

# VENICHE

## G X 9 1 5 0

Original fittings are often associated with contemporary style. Whilst aged timber and exposed bricks provide interesting aesthetics, there are limitations with this style and functionality. Veniche from the TOLI Carpet Tile Collection offers a unique solution by combining a distressed timber look with the warmth and acoustic benefits of carpet.



Shown: GX9153

### YARN

Solution Dyed Nylon

### FINISH

Textured Loop Pile

### PILE WEIGHT

680gsm (20.1oz)

### TILE DIMENSION

1000mm x 250mm



### TOTAL THICKNESS

8.3mm

### PERFORMANCE



### INSTALLATION



GX9151



GX9152



GX9153



Shown: GX9151, GX9152



# EXCHROME

## CUSTOM PRINTED TILES

Exchrome is a range of heavy duty commercial carpet tiles that utilise jet printing technology to create your own custom design. It is the ultimate option with the flexibility to create a flooring space with your own custom choice of colour, texture and design. Imagine having the flexibility to match a piece of artwork, the theme of a commercial interior, or simply increase the corporate brand awareness by having a logo printed onto the floor. The custom options are endless and open up potential that was previously considered nothing more than a desire to be unique.

### STEP 1:

Get inspired by considering the endless possibilities available with the Exchrome jet-printing process.



### STEP 2:

Select your desired finish from one of the three texture options available.

MULTI-LEVEL LOOP PILE

CUT PILE

CUT & LOOP PILE



### STEP 3:

Prepare and submit your design artwork to the specifications provided by Nolan Carpets, or choose from one of the standard TOLI options.



## STEP 4:

Review the electronic prototype prepared by TOLI and approve if satisfied.




## STEP 5:

Review the prototype sample tile based on your request and approve if satisfied.



## STEP 6:

Place a purchase order and wait approx. 8 weeks for delivery.



## STEP 7: Stand back and watch your masterpiece take shape!



# FABTEX

## RELIABLE JAPANESE QUALITY...



Based on a Japanese fabric master's experienced skill, FABTEX is finished with a beautiful top material where vinyl-coated polyester yarns are elaborately woven. A combination of traditional plain weave technique and modern technology has created a classy image. With its reliable Japanese quality, FABTEX can work in any heavy-duty circumstances.

## EXCELLENT SURFACE STRENGTH AND STAIN RESISTANCE

Due to fine woven structure and special coating, FABTEX has excellent surface strength and stain resistance.

## EASY MAINTENANCE

FABTEX TILE can also be cleaned with a vacuum cleaner or a tightly wrung-out mop.



# FUNCTION


## Surface coating

### SPECIAL STAIN-RESISTANCE

The surface of FABTEX TILE is finished with a special coating, which repels water and oil and offers high stain-release performance.

### ANTI-MILDEW AND ANTIBACTERIAL

FABTEX TILE is antibacterial and anti-mildew finished making it ideal to install near wet areas.



Antibacterial, anti-mildew, and stain-retardant coating  
woven vinyl fabric

Moisture-resistant cushion backing  
vinyl layer

water-repellent cushion layer

vinyl backing

## Moisture-resistant cushion backing

### APPLICABLE TO THE PLACE WHERE THE WATER IS BEING USED.

In FABTEX TILE, the water-repellent felt is laminated between the top vinyl fabric and vinyl backing. This structure will prevent the water from permeating into the product.



### CUSHIONING PROPERTY EQUIVALENT TO CARPET TILES

The felt layer above the vinyl backing provides greater shock absorption compared to equivalent carpet tiles. The cushion layer is laminated within the tile making for easy installation and replacement.


Shock Absorption of Floor Covering

Type of Floor Covering	Impact Strength	
	G value	m/S <sup>2</sup>
FABTEX TILE	124	1215
GA-100	125	1225
MATURE NW	140	1372
MATICO V	146	1431
Concrete	150	1470

The G Value is the shock absorption

### EXCELLENT SMOOTHNESS FOR CASTERS

FABTEX TILES are ideal for installation where castor chairs or shopping carts are regularly used. The smooth finish creates an easy surface for the wheels to glide, as shown on the table below.



# FABTEX TILE

FBT 400



Shown: FBT113



FBT413



FBT414




FBT421



FBT422



FBT423



FBT424



FBT401



FBT403



FBT404



FBT402



FBT405

## CROSS SECTION



## YARN

## FINISH

## TOTAL WEIGHT

## TILE DIMENSION

## TOTAL THICKNESS

PVC Coated Polyester

Textured Weave

4800gsm


500mm x 500mm

4.5mm

## PERFORMANCE



## INSTALLATION




# FABTEX TILE

FBT 450



FBT451



FBT452




YARN	PVC Coated Polyester
FINISH	Textured Weave
TOTAL WEIGHT	4800gsm
TILE DIMENSION	1000mm x 250mm
TOTAL THICKNESS	4.5mm

## PERFORMANCE



## INSTALLATION



# TECHNICAL DATA

	Range	Finish	Yarn	Yarn Weight (oz/sq yd)	Yarn Weight (gsm)	Gauge	Stitch	
	Silky Line - GA100W	Textured Loop Pile	Yarn Dyed Nylon	17.4	590	1/10	11.5	
	Kachi - GA100W	Textured Loop Pile	Yarn Dyed Nylon	16.5 - 17.1	560 - 580	1/10	10 - 12.5	
	Bark - GA3600	Textured Loop Pile	Solution Dyed Nylon	16.5	560	1/10	12.5	
	Dust Control - DC1100	Multi-Cut & Loop	Solution Dyed Nylon	28.0	950	1/8	10.0	
	Shadow Block - GA100W	Textured Loop Pile	Yarn Dyed Nylon	18.4	625	1/10	11.5	
	Shadow Block Plank - GA100W	Textured Loop Pile	Yarn Dyed Nylon	18.4	625	1/10	11.5	
	Yutaka Plank - YU5200V	Textured Loop Pile	Solution Dyed Nylon	13.9	470	1/10	11.5	
	Grand Flow - GX6150	Textured Loop Pile	Solution Dyed Nylon	25.7	870	1/10	20.0	
	With Time - GX3350	Textured Loop Pile	Solution Dyed Nylon	26.5	900	1/10	16.5	
	Waffle Knit - GX-2650	Textured Loop Pile	Solution Dyed Nylon	24.5	830	1/10	17.5	
	Haze Peak - GX3151	Textured Loop Pile	Solution Dyed Nylon	19.2	650	1/12	11.5	
	GA100 - GA-100	Loop Pile	Yarn Dyed Nylon	17.7	600	1/10	13.0	
	Link Space - GX9950	Textured Loop Pile	Solution Dyed Nylon	19.0	645	1/12	11.5	
	Lake - GA3600	Textured Loop Pile	Solution Dyed Nylon	15.6	530	1/10	13.0	
	Geoslant - GX4100	Textured Loop Pile	Solution Dyed Nylon	19.5	660	1/12	13.0	
	Grandcour - GX4700	Textured Loop Pile	Solution Dyed Nylon	20.6	700	1/10	11.5	
	Luceart - GX8500	Textured Loop Pile	Solution Dyed Nylon	26.0	880	1/10	16.0	
	Sokoitari - GX7800	Textured Loop Pile	Solution Dyed Nylon	20.3	690	1/12	13.0	
	Sokoitari Classic - GX7900	Textured Loop Pile	Solution Dyed Nylon	23.6	800	1/12	13.0	
	Sokoitari Grandair - GX8100	Textured Loop Pile	Yarn Dyed Nylon	23.6	800	1/10	14.0	
	Surimi - GX300	Textured Loop Pile	Yarn Dyed Nylon	20.9	710	1/10	10.5	
	Orvie - GX8300	Cut and Loop Pile	Solution Dyed Nylon	25.1	850	1/10	12.0	
	Etrico - GX8600	Textured Loop Pile	Solution Dyed Nylon	21.5	730	1/10	13.5	
	Katto - GX200	Cut Pile	Yarn Dyed Nylon	30.2	1025	1/10	15.5	
	Altglan - GX3800	Textured Loop Pile: Tip Sheared	Yarn Dyed Nylon	21.5	730	1/10	11.5	
	Mayorica - GX2100	Textured Loop Pile	Solution Dyed Nylon	20.6	700	1/12	11.0	
	Cembalo - GX2300	Textured Loop Pile	Solution Dyed Nylon	17.7	600	1/12	11.5	
	Mortarclay - GX3700	Textured Loop Pile	Solution Dyed Nylon	22.1	750	1/10	11.5	
	Calmgrain - GX5100	Textured Loop Pile	Solution Dyed Nylon	18.0	610	1/12	10.0	
	Ruscello - GX5250	Textured Loop Pile	Solution Dyed Nylon	19.2	650	1/10	11.5	
	Nocture - GX8400	Cut and Loop Pile	Solution Dyed Nylon	29.5	1000	1/10	12.0	
	Prarie - GX4200	Cut and Loop Pile	Solution Dyed Nylon	29.5	1000	1/10	9.5	
	Sazanami - GA8700	Textured Loop Pile	Yarn Dyed Nylon	19.2	650	1/10	12.0	
	Moderno - GX5600	Cut and Loop Pile	Solution Dyed Nylon	29.5	1000	1/10	12.0	
	Various Stone - GX-4600	Textured Loop Pile	Solution Dyed Nylon	25.7	870	1/10	21.0	
	Yutaka 1300 - YU1300	Level Loop Pile	Solution Dyed Nylon	14.7	500	1/10	13.0	
	Bright Plain - GA100T	Textured Loop Pile	Yarn Dyed Nylon	17.4	590	1/10	12.5	
	Soft Grid - GA100T	Textured Loop Pile	Yarn Died Nylon	17.1	580	1/10	14.0	
	Grace Line - GX4300	Textured Loop Pile	Solution Dyed Nylon	25.1	850	1/10	14.0	
	Latticloth - GX4900	Textured loop Pile	Solution & Yarn Dyed Nylon	19.5	660	1/12	11.0	
	Ocash - GX2400	Textured loop Pile	Solution Dyed Nylon	23.6	800	1/8	11.5	
	MTE 3350 - MTE 3350	Embossed Textured Loop Pile	Solution Dyed Nylon	26.5	900	1/10	16.5	
	MTE - MT3800	Textured Loop Pile: Tip Shear	Yarn Dyed Nylon	21.0	730	1/10	16.0	
	MTE - MT2000	Embossed Cut Pile	Yarn Dyed Nylon	30.2	1025	1/10	15.5	
	Moroca Line - GX4550	Textured loop Pile	Solution Dyed Nylon	25.7	870	1/10	20.0	
	Patch Cork - GX4650	Textured loop Pile	Solution Dyed Nylon	25.7	870	1/10	21.0	
	Resonance Grain - GX9700	Textured Loop Pile	Solution Dyed Nylon	21.2	720	1/12	11.5	
	Diffebriller - GX 9650	Textured Loop Pile: Tip Shear	Yarn Dyed Nylon	20.6	700	1/10	11.5	
	Corente - GX9300	Level Loop Pile	Solution Dyed Nylon	20.1	680	1/10	14.5	
	Srone - GX9050	Textured Loop Pile	Solution Dyed Nylon	18.9	640	1/12	11.0	
	Rock Garden - GX9250	Textured Loop Pile	Solution Dyed Nylon	20.1	680	1/10	14.0	
	Veniche - GX9150	Textured Loop Pile	Solution Dyed Nylon	20.1	680	1/10	11.0	
	Fabtex Tile - FBT400	Textured Weave	PVC Coated Polyester	-	4800	-	-	
	Fabtex Tile - FBT450	Textured Weave	PVC Coated Polyester	-	4800	-	-	

	Thickness	Reinforced PVC Backing	Tile Dimensions	Box Qty	Commercial Rating	Flammability	Anti-Static	Environmentally Certified	15 Year Warranty
	6.5mm	Yes	500mm x 500mm	5m2	Extra Heavy Duty	✓	<1000v	✓	✓
	6.5mm - 6.8mm	Yes	500mm x 500mm	5m2	Extra Heavy Duty	✓	<1000v	✓	✓
	6.8mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	10.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.0mm	Yes	500mm x 500mm	5m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.0mm	Yes	500mm x 500mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	6.8mm	Yes	1000mm x 250mm	3m2	Heavy Duty	✓	<1000v	✓	✓
	9.5mm	Yes	1000mm x 1000mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.8mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	6.5mm	Yes	500mm x 500mm	5m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.0mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	6.8mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.3mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.3mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.3mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.0mm	Yes	500mm x 500mm	5m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	6.5mm	Yes	500mm x 500mm	4m2	Heavy Duty	✓	<1000v	✓	✓
	7.8mm	Yes	500mm x 500mm	5m2	Heavy Duty	✓	<1000v	✓	✓
	7.8mm	Yes	500mm x 500mm	5m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.3mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.0mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.5mm	Yes	500mm x 500mm	4m2	Heavy Duty	✓	<1000v	✓	✓
	9.0mm	Yes	500mm x 500mm	4m2	Heavy Duty	✓	<1000v	✓	✓
	9.3mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.3mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	7.5mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.0mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	6.5mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.0mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	9.3mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	8.3mm	Yes	1000mm x 250mm	3m2	Extra Heavy Duty	✓	<1000v	✓	✓
	4.5mm	Yes	500mm x 500mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓
	4.5mm	Yes	1000mm x 250mm	4m2	Extra Heavy Duty	✓	<1000v	✓	✓



**1300 35 75 85**

info@NolanCarpets.com.au **NolanCarpets.com.au**

**SYDNEY**

**BRISBANE**

**ADELAIDE**

**MELBOURNE**

**NEWCASTLE**

**PERTH**