## AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

## **TEST REPORT**

Client: Nolan UDA Pty Ltd

3 Bradford Street Alexandria NSW 2015 Test Number : 23-002491 Issue Date : 30/06/2023

**Print Date** : 30/06/2023 **Order Number** : 230620

Sample Description Clients Ref : "Atlas Type 2"


Coated woven fabric Colour: White

End Use: Outdoor Tension Structure

Nominal Composition: PVC

Nominal Mass per Unit Area/Density: 900g/m2

Nominal Thickness: <1mm



298338 65251 Page 1 of 2


Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.







Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

## **TEST REPORT**

Client: Nolan UDA Pty Ltd Test Number: 23-002491

 3 Bradford Street
 Issue Date
 : 30/06/2023

 Alexandria NSW 2015
 Print Date
 : 30/06/2023

Order Number: 230620

0.0

0.0

AS 1530.2-1993

Methods for Fire Tests on Building Materials, Components and Structures. Part 2: Test for Flammability of Materials

**Date Tested** 29-06-2023 Flammability Index 1 Length Width Spread Factor 0 0 **Heat Factor** 1 Maximum height (d) Mean 2.0 1.8 Coefficient of Variation 0.0 15.6 Heat (a) Mean 15 15 °C min

Number of Specimens Tested 6 6

Observation Visible smoke

Coefficient of Variation

These test results relate only to the behaviour of the test specimens of the material under the particular conditions of the test, and they are not intended to be the sole criterion for assessing the potential fire hazard of the material in use.

298338 65251 Page 2 of 2

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



MICHAEL A. JACKSON B.Sc.(Hons)

Fiona McDonald

APPROVED SIGNATORY